

TEST EQUIPMENT



ENHANCED THERMAL IMAGER

SKU: TC730E

The TC730E is an advanced thermal imager with Wi-Fi capability. Its large 3.5" IPS screen can clearly display 320x240 thermal resolution, 2MP visual camera, or a blended image of both. TC730E detachable battery pack is also convenient for easy and quick battery change, allowing continuously work for long periods of time.

[Read More](#)





PORTABLE THERMAL CAMERA 320x240

SKU: TC716S

The TC716S is a cost-effective portable thermal camera with multi-language OS. The sturdy and durable quality build has a IP54 rating and can withstand the drop of 2m height. The 4 button design is easy-to-use. Benefited by the wide temp measurement range and the built-in illuminator and laser pointer, widely applies in HVAC, electrical utility's, mechanical inspection and automotive maintenance.

[Read More](#)



KLEIN CARBON MONOXIDE DETECTOR

SKU: ET110

The ET110 CO Detector is an easy-to-use meter that detects and measures concentration levels of carbon monoxide (ppm) and temperature (Fahrenheit/Celsius), making it the perfect choice for HVAC professionals. Features backlit LCD screen, warning indicator light, audible and visual alarms and multiple function buttons. Includes carrying pouch and 4 x AAA batteries.

[Read More](#)





REPLACEMENT NST LEAD SET

SKU: NSTLEAD

The EFO Replacement NST lead set is designed for metering installers using the Dewar NST. It contains CAT IV Test leads rated to Cat IV 600V 10A. Red Probe and Black and Green Crocodile Clips. Test leads for meters and testers are highly susceptible to poor contact and damage. Our patented screw end offsets the bending oppression, which makes it highly durable and long lasting. Fits most Test Equipment with 4mm Sockets.

[Read More](#)



MARTINDALE 230V PROVING UNIT AC/DC

SKU: PRD230SRD

The Martindale 230V Proving Unit AC/DC is fast and easy to use, instantly supplying the test voltages for both high and low-impedance multimeters. It comes complete with an over molded low-profile case with a magnetic hanger.

[Read More](#)





EFO TEST PACK 3

SKU: TP3

The EFO test pack 3 has been put together for electricians look for great value and quality. This pack provides the essential test equipment for proving operation of your volt stick and multimeter before and after testing as part of the work place practices. This pack offers special pack pricing as a bundle. The test pack consists of The PU240 Proving unit and Newley released VS50 Voltstick.

[Read More](#)



EFO TEST PACK 2

SKU: TP2

The EFO test pack 2 has been to put together for electricians look for great value and quality proving a essential testing solution. This pack offers special pack pricing as a bundle. The test pack consists of The newly released GBM1000 ghost busting multimeter with CA1000 flexible clamp adaptor and VS50 Voltstick.

[Read More](#)





EFO TEST PACK 1

SKU: TP1

The EFO test pack 1 has been put together to complete all the mandatory testing required to be performed by electrical workers. This pack is extremely good value and offers special pack pricing as a bundle. The test pack consists of a MFT4PLUS multifunction tester, The newly released GBM1000 ghost busting multimeter with CA1000 flexible clamp adaptor, EFO PU240 proving unit and VS50 Voltstick.

[Read More](#)



KLEIN LOW-IMPEDANCE CLAMP METER

SKU: CL710

Klein Tools CL710 Clamp Meter delivers accurate measurements across AC/DC current, voltage, resistance, continuity, frequency, and capacitance, all with True RMS precision. It features diode testing and a Low Impedance (LoZ) mode to eliminate ghost voltages. The clamp features NCV detection with escalating audio-visual alerts the closer to the voltage source. The transfective reverse-contrast display and lighted dial ensure visibility in any lighting; a reliable tool for diverse applications.

[Read More](#)





EFO CONTACTLESS VOLTAGE TESTER

SKU: VS50

The EFO contactless voltage tester has been designed to meet the high quality and specifications required by Australian utilities and service providers. The operating range is 50-1000V with an overvoltage safety category rating of CAT IV 1000V. Furthermore, the EFO VS50 contactless voltage tester features a self-test and is contained in a IP65 rugged waterproof housing.

[Read More](#)



EFO ANALOGUE INSULATION TESTER

SKU: IRA1000

The IRA1000 EFO Analogue Insulation Tester has always been a popular choice because of its price and simplicity for insulation testing. This insulation tester comes with the factory calibration certificate and test report.

[Read More](#)





M1120-V2-B BLUETOOTH NST NEUTRAL AND SUPPLY TESTER

SKU: M1120KIT-B

The Dewar M1120-V2 NST Neutral and Supply Tester was designed in conjunction with Power companies. To ensure the incoming Active and Neutral power connections to customer's premises are correctly identified and are safe to use before a power connection is made. EFO also supplies NST testing accessories and personal protective equipment. This is Bluetooth model for NSW and ACT only, as the maximum neutral to earth voltage is 10 volts. Click here for NST M1120-V2-B Neutral Supply Tester for QLD, SA and VIC.

[Read More](#)



M1121-V2-B BLUETOOTH NST NEUTRAL AND SUPPLY TESTER

SKU: M1121KIT-B

The Dewar M1121-V2 NST Neutral and Supply Tester was designed in conjunction with Power companies. To ensure the incoming Active and Neutral power connections to customer's premises are correctly identified and are safe to use before a power connection is made. EFO also supplies NST testing accessories and personal protective equipment. This is Bluetooth model for NSW and ACT only, as the maximum neutral to earth voltage is 10 volts. Click here for NST M1120-V2-B Neutral Supply Tester for QLD, SA and VIC.

[Read More](#)





THERMAL IMAGER FOR IOS DEVICES

SKU: TI222

The Klein Tools TI222 Thermal Imager for iOS Devices has 10,800 pixels delivering excellent resolution to troubleshoot hot and cold spots. This Thermal Imager is perfect for detecting hot spots in panels, on wiring, or on parts of equipment; helping find sources of energy loss within a home/building; helps detect moisture behind walls and flooring; clogs in pipes; and much more. Fits phone cases up to 1/16-Inch (1.5 mm). Phone cases thicker than 1/16-Inch (1.5 mm) may require removal of case for secure connection. Easily capture, store, and share thermal images and video through the Klein Tools Thermal Imager App, available for free in the App Store.

[Read More](#)



FLEXIBLE COIL CURRENT SENSOR 1000A

SKU: CA1000

The EFO [GBM1000](#) multimeter provides a designated AC Clamp function designed for use with the CA1000 displaying accurate current measurements directly in Amps.

[Read More](#)





INSULATED GLOVE INFLATOR TESTER

SKU: GLOVEIN

The EFO Insulated Glove Inflater Tester is a portable device that conducts a air test on Insulated gloves and assists users during visual inspection to search for any abrasion, cuts, tears or punctures. Our Glove inflator can be used anywhere and comes with a durable storage bag made out of canvas and a strap to hold the rubber insulating glove in place.

[Read More](#)



SANWA 1000A CLAMP METER CAT IV 600V

SKU: DCM301

The Sanwa 1000A Clamp Meter is designed for measurements of low-voltage circuits in the application range of 1000V CAT III and 600V CAT IV. It is suited to current and voltage measurement of power lines, electrical equipment, and electrical facilities less than 1000Vrms to ground.

[Read More](#)





NON-CONTACT PHASE ROTATION METER 2M LEADS

SKU: PR3NC-2M

Our Non-Contact Phase Rotation Meter with 2M leads has been designed to for utility customers with 2M leads and CAT IV 600V Safety rating. Our Phase Rotation Meters are designed for Use with Utility workers, ASP Service providers and also electrical contractors.

[Read More](#)



CONTACT HIGH VOLTAGE DETECTOR 11KV

SKU: 213HVD

This Contact High Voltage Detector has been designed to meet the latest IEC standards. The HVDs are used to determine whether a system is live or not so that it may be safely earthed/grounded. It is self starting and automatically activated when high voltage is applied to the contact electrode.

[Read More](#)





SANWA 2000A CLAMP METER

SKU: DCM2000DR

This instrument is an AC/DC clamp meter/digital multimeter of the RMS value response type, designed for measurements in the range specified by IEC61010-1 CAT.IV 1000V. It is suitable for current and voltage measurements of low-voltage circuitry, electric equipment and power supply facilities.

[Read More](#)



SANWA VOLTAGE DETECTOR SUPPORTER

SKU: KDP10

The Sanwa Voltage Detector Supporter is a device to prevent erroneous cutting of live wires due to misjudgement. Before cutting, you can see if the wiring is live. It is designed to be attached to electricians pliers. When the cable is live the product notifies you with a alarm and LED indication. The product is not to be used in place of a voltage detector or multimeter in testing for dead.



[Read More](#)





SEW DIGITAL MILLIOHM METER

SKU: 4137MO

The microprocessor controlled SEW Digital Milliohm Meter comes supplied from EFO with a set of high quality kelvin test leads to assist in making accurate measurements.

[Read More](#)



CONVENIENT EXTENSION TEST LEAD

SKU: TR25-G

The New TR25-G Convenient Extension Test Lead can be used as a trailing lead or in situations where longer test leads are required to connect to test instruments. They can also be connected together for a longer run. Supplied with 25m of flexible cable. The 130mm diameter compact design allows the TR25 Extension Test Lead to fit into tool bags or back packs. Test Cable is easily wound back onto the reel for fast retrieval. A selector switch enables the reel to run free, under tension or stop. This product is also available in CATIV600V Red and Black test lead configurations.

[Read More](#)





EXTENDED INDEPENDENT EARTH TRAILING LEAD

SKU: ETL20SS-L

The EFO ETL20SS-L Extended Independent Earth Trailing Lead sets a new standard of quality and safety. The 645mm Earth Stake was designed for customers with applications in [Loam](#) soil environments. The standard [ETL20SS](#) overall length is 400mm and is used for general applications. Combining several uniquely innovative functional features. Developed with leading utilities and equally supporting Australian manufacturing.

[Read More](#)



3 PIN TEST LEAD SET FOR GPOS

SKU: TL-PIN

The TL-PIN 3 Pin Test Lead Set has a Red, Black and Green banana plugs and can be connected to most [Test Equipment](#) with 4mm Sockets. This Lead Set is generally used for connection of RCD and Loop impedance testers to Australian and New Zealand socket outlets. This lead set can also be used as the replacement socket connection for the EFO [MFT4](#) Multifunction tester and the [Autotrip](#) RCD tester.

[Read More](#)






STRAIGHT TEST LEAD SET CAT IV 600V

SKU: TL-RGB

The TL-RGB Straight Test Lead Set has Red and Black and also Green Probes and Crocodile Clips. This set has straight connection plugs for where a right angle plug cannot fit due to obstructions on the test equipment case. Rated to safety standard Cat IV 600V 10A. Test leads for meters and testers are highly susceptible to poor contact and damage. Our patented screw end offsets the bending oppression, which makes it highly durable and long lasting. The TL-RGB fits most test equipment with 4mm Sockets and is the preferred replacement lead set for the EFO [MFT4](#) and [AUTOTRIP](#).

[Read More](#)



SEW ITC8 CHECK BOX

SKU: ITC8

The SEW ITC8 Check Box provides a quick check to ensure the instrument being used is reading accurately. This resistor block allows the user to regularly verify the measurements taken by their insulation tester or multi meter. The check box has 12 resistance settings ranging from 0.5 Ohms to 10MOhms to check against.

[Read More](#)





PROVING UNIT FOR HV NON-CONTACT DETECTORS

SKU: HVNCT300

This Proving Unit for HV Non-Contact Detectors is designed to be used in conjunction with High Voltage non-contact voltage detectors such as the [HP300](#). The Unit produces an EMF (Electro-magnetic field) which can be detected to prove the detector it is working correctly. They produce enough EMF to allow HV Non-Contact detectors to be tested at up to 500,000 volt at a distance of 50 mm.

[Read More](#)



LANTERN TEST LEAD SET CAT IV 600V

SKU: TL-L

This Lantern test lead Set has Red and Black Lantern Probes that fit into 4mm banana terminals. Rated to safety standard Cat IV 600V 10A. Test leads for meters and testers are highly susceptible to poor contact and damage. Our patented screw end offsets the bending oppression, which makes it highly durable and long lasting.

[Read More](#)





GPO TEST LEAD SET

SKU: TL-C

Sick of damaging or breaking your multimeter test probes. This GPO Test Lead Set is manufactured with flat chisel tips designed to easily fit into GPOs without damaging the socket outlet or the probes. This test lead set is rated at CATIV 600V with the caps on and CATII 1000V when removed.

[Read More](#)



POWER POINT TEST LEADS WITH CROC CLIPS

SKU: TL-CC

Sick of damaging or breaking your multimeter test probes. These Power Point Test Leads are manufactured with flat chisel tips designed to easily fit into GPOs without damaging the socket outlet or the probes. This test lead set is rated at CATIV 600V with the caps on and CATII 1000V when removed. This set also comes complete with Red/Black Crocodile clips for additional testing applications.

[Read More](#)





SANWA LEAKAGE CLAMP METER

SKU: DLC470

The Sanwa Leakage Clamp Meter is very useful for measuring earth leakage or load current on power circuits, RCDs and electrical equipment. This meter is extremely accurate and is must for any serious electrician conducting fault finding tasks.

[Read More](#)



10KV HV INSULATION TESTER

SKU: 6310IN

The SEW 10KV HV Insulation Tester tests insulation resistance to $20T\Omega$ and has 4 test voltages 1000V, 2500V, 5000V and 10000V. Other features include Dielectric Absorption Ratio indication and Polarization Index. Furthermore there is a visual and audio warning of live voltages. This Unit comes complete with Data Communication functionality and Software and truly represents fantastic buying.

[Read More](#)





KLEIN 600A TOUGH CLAMPMETER

SKU: CL800

The Klein 600A Tough Clampmeter is Drop Proof to 2M. It features a low impedance function to eliminate ghost voltages while importantly providing a safety category rating of CAT IV 600V. It has all the Required functions required by Electrical Utility workers and General Electricians.

[Read More](#)



KLEIN CATIV TOUGH MULTIMETER

SKU: MM720

The [Klein CATIV Tough Multimeter](#) is drop proof to 2M. It has all the Required functions required by Electrical Utility workers and General Electricians. It features a low impedance function to eliminate ghost voltages while importantly Providing a safety category rating of CAT IV 600V.

[Read More](#)





NON CONTACT VOLTAGE TESTER PROVING UNIT

SKU: PROVEIT

The PROVEIT Voltage Tester Proving Unit proves the function of non-contact voltage testers before and after use. The EFO Voltage Tester Proving Unit simulates a 230V electric field and comes with a tool bag/belt clip for hands free use.

[Read More](#)



HIGH AND LOW VOLTAGE DETECTOR

SKU: 279HD

The SEW High and Low Voltage detector is a contact style voltage detector. This unit has a working range of 80V-11.4KV and also works on 50 and 60Hz Systems. It has a self test function and has a waterproof rating of IP66.

[Read More](#)





CALIBRATION VERIFICATION CHECK BOX

SKU: CB400AU

The Socket and See CB400AU truly is the ultimate installation testing calibration verification check box. By using the CB400AU you can be assured that your test equipment is operating correctly ensuring that your certification is always accurate. This unit works with all leading makes of Loop, Insulation/Continuity and RCD Testers, both multi function and single operation.

[Read More](#)



IEC TEST LEAD SET CAT IV 600V

SKU: TL-IEC

The EFO IEC Test Lead Set comes with Red, Black Probes and also Red, Black and Green Crocodile Clips. Rated to Cat IV 600V.

[Read More](#)





FUSED TEST LEAD SET CAT IV 500V 10A

SKU: FTL500

The EFO Fused Test Lead Set comes with Red and Black Fused Probes. Rated to Cat IV 500V 10A. Removable test lead caps for attaching alligator clips.

[Read More](#)



7A LOAD UNIT 2000W CAT IV

SKU: L2000W

The EFO Loadlead provides a cost effective and safer method to connect an electrical load whilst testing meter operation at the switchboard. It consists of 2 fused probes, test leads and Socket. Rated at CAT IV 500V you can use the Loadlead with the EFO portable load or any 240V double insulated appliance with a output not exceeding 2000W. Combining Our LOADLEAD together with our 7A Load Unit 2000W you can apply a 7A Load test. The load unit is also supplied with a hanging hook, crocodile clips and a carry bag.

[Read More](#)





HIGH VOLTAGE PHASING METER

SKU: MDP-50K

The MDP-50K multi purpose High Voltage Phasing Meter provides a direct reading voltage measurement as well as phasing capability. The unit has three measurement scales: 4.0kV, 40.0kV, and 50kV AC/DC. It is supplied with universal spline attachments to allow use with any standard fixed hot stick or telescopic hot stick for hot line work.

[Read More](#)



SANWA 5KV DIGITAL INSULATION TESTER

SKU: MG5000

The Sanwa High voltage 5KV Digital Insulation resistance tester for use in measurement of Insulation Resistance of a power line and power equipment within the range of CATIV 600V. The Sanwa 5Kv Insulation tester undoubtedly is the best value for money on the market. Made in Japan it features include. Auto discharge function and. Dielectric absorption ratio. Data hold and also auto power save.

[Read More](#)





SEW TONE CABLE TRACER F-SET

SKU: 181CB

The SEW Tone Cable Tracer is commonly referred to as F Sets. They are one of the simplest ways to trace unpowered cables using a Amplifier probe and also tone generator.

[Read More](#)



PU400 PROVING UNIT 50-690V AC

SKU: PU400

The PU400 Proving Unit provides a safe and reliable means of checking the correct functioning of Multi meters and two pole Voltage Indicators (VIs) before and after use as advised in the Working Practice for electricians. Additionally they have the capability of checking the operation of Non-Contact voltage detectors.

[Read More](#)





PU240 PROVING UNIT 240V AC

SKU: PU240

The PU240 Proving Unit provides a safe and reliable means of checking the correct functioning of Multi meters and two pole Voltage Indicators (VIs) before and after use as advised in the Safe Working Practice For electricians. Additionally they have the capability of checking the Operation of Non-Contact voltage detectors.

[Read More](#)



4 WIRE EARTH RESISTANCE TESTER

SKU: 4234ER

The 4234ER 4 wire earth resistance tester is capable of performing 2-pole, 3-pole and 4-pole ground resistance tests. The 4234ER is a microprocessor controlled, auto-ranging instrument, which makes it easy to use, cutting down the operators input and saving time.

[Read More](#)



NON CONTACT VOLTAGE DETECTOR

SKU: LVD-15



The SEW Non Contact Voltage Detector is intended to check for the presence of AC Voltage, signalling the user with an intermittent tone and a flashing LED. They are used to detect voltage in outlets, lighting fixtures, circuit breakers, wires, and cables or to find a break in a wire.

[Read More](#)



GHOST VOLTAGE BUSTING MULTIMETER 1000V AC/DC TRMS

SKU: GBM1000

Next Generation Multimeter Safety

The New Ghost Voltage Busting Multimeter from EFO Automatically Busts Ghost Voltages Presenting a LoZ low impedance voltage input to the circuit to bleed off any potential ghost voltages the GBM1000 automatically switches to a high impedance input for increased user safety and measurement accuracy.

[Read More](#)





COMPACT EARTH TRAILING LEAD 50M

SKU: ER50

The EFO 50M Compact Earth Trailing Lead connects directly to most brands of test equipment with 4mm banana terminals. Its patented design allows for super fast retrieval. Loaded with 50 meters of green tinned flexible 1.5mm Cable rated at 0.6/1kV. It is also supplied with a 1100mm test lead for meter or accessory connection. Furthermore the cable is dual colour Green/White, to indicate any damage.

[Read More](#)



INDEPENDENT EARTH TRAILING LEAD

SKU: ETL20SS

The EFO Independent Earth Trailing Lead sets a new standard of quality and safety. Combining several uniquely innovative functional features. Developed with leading utilities and equally supporting Australian manufacturing.

[Read More](#)





FUSED TEST LEADS 1000V CATIV 500MA

SKU: FTL1000

Our Fused Test Lead 1000V are specialised lead set. They are also one of the only fused leads sets available rated to CAT IV 1000V.

[Read More](#)



NON-CONTACT PHASE ROTATION METER CAT IV

SKU: PR3NC

Our Non-Contact Phase Rotation Meter has been designed to the highest Safety Rating CAT IV 600V. Our Phase Rotation Meters are designed for Use with Utility workers, ASP Service providers and also electrical contractors.

[Read More](#)





FUSED TEST LAMPS WITH MAGNETIC HOLDER

SKU: MTL2W

Additional features built into the MTL2W series fused test lamps create a very versatile and safe tester. A convenient magnetic holder has also been developed to hang the tester for hands free operation where suitable. Two bright 25W bulbs are fitted with innovative safety guards built into the mould, protecting the user from coming into contact with the lamps. Furthermore decreasing the chance of accidental breakage. 2 x fused 1 metre test leads provide a working span of 2 metres. Our Series Test Lamps are CATIV 500V safety rated and is supplied with 2 x chisel probes, magnetic holder and also a carry bag. Optional changeable probe tips and crocodile clips are available separately.

[Read More](#)



2 TEST LEADS SET CAT IV 600V

SKU: TL-20

Test leads for meters and testers are highly susceptible to poor contact and damage. Our patented screw end offsets the bending oppression, which makes it highly durable and long lasting. Fits most Test Equipment with 4mm Sockets.

[Read More](#)





3 TEST LEADS SET CAT IV 600V

SKU: TL-30

The TL-30 Replacement 3 Test Leads Set has Red and Black and also Green Probes and Crocodile Clips. Rated to safety standard Cat IV 600V 10A. Test leads for meters and testers are highly susceptible to poor contact and damage. Our patented screw end offsets the bending oppression, which makes it highly durable and long lasting. Fits most Test Equipment with 4mm Sockets.

[Read More](#)



TEST LEADS CAT IV 600V

SKU: TL-10

TL-10 Test Leads Red and Black 4MM Banana Plugs Cat IV 600V 10A. Fits most Test Equipment with 4mm Sockets. Test leads for meters and testers are highly susceptible to poor contact and damage. Our patented screw end offsets the bending oppression, which makes it highly durable and long lasting.

[Read More](#)






CONTACT PHASE ROTATION METER CAT IV

SKU: PR3

[Read More](#)



INSULATED CABLE TEST POINT FOR ABC

SKU: PP1514

The EFO Insulated Cable test point is suitable for ABC cable ranges up to 150mm². Connects to standard 4mm banana plug.

[Read More](#)





SANWA DIGITAL INSULATION TESTER

SKU: MG1000

The Sanwa Digital insulation Tester is also built in Japan. It features Fast Response without digital flicker. As Well as a large log scaled bargraph. Furthermore it has a strong and durable hard case. This Unit is Equally great value. Safety features include Voltage Warning and Voltage interlock.

[Read More](#)



NON-CONTACT HIGH VOLTAGE DETECTOR

SKU: HP300

The HP300 is a IP66 water-proof designed proximity tester for checking the presence of AC high and low voltages. It also has nine voltage detection settings from 240Vac to 275kVac. The Non-Contact High Voltage Detector provides detection of AC voltages with an internal pickup sensor plate. It attaches attaches via a sunrise fitting coupled with a Hot stick

[Read More](#)





100M EARTH TRAILING LEAD

SKU: ETL100

The EFO 100M Earth Trailing Lead is a high quality portable cable reel supplied with 100 metres of flexible cable 1.5mm 30/0.25. Furthermore it features only Quality Components. Our Earth Trailing Lead Connects directly to most brands of test equipment. Equipped with One alligator clip and two 4mm banana plugs. It is also supplied with a temporary independent earth stake. The cable is calibrated and resistance is marked on the Trailing Lead. The Earth Trailing Lead is also available in a 50M Version.

[Read More](#)



50M EARTH TRAILING LEAD

SKU: ETL50

The EFO 50M Earth Trailing Lead is a high quality portable cable reel supplied with 50 metres of flexible cable 1.5mm 30/0.25. Furthermore it features only Quality Components. Our Earth Trailing Lead Connects directly to most brands of test equipment. Equipped with One alligator clip and two 4mm banana plugs. It is also supplied with a temporary independent earth stake. The cable is calibrated and resistance is marked on the Trailing Lead. The Earth Trailing Lead is also available in 100M Version.

[Read More](#)





MULTI FUNCTION INSTALLATION TESTER

SKU: MFT4PLUS

New MFT4PLUS Model Available Now

This One Digital Multi function Installation Tester Covers Safety, Fault Finding & Compliance for installations, switchboards, socket outlets, plant & machinery. Built for AS/NZS: 3000 Mandatory Testing Requirements. The MFT4PLUS is a true multi-function tester. Loaded with powerful features that are readily accessible by the selector switch and clearly marked push buttons. Compared to other brands the EFO MFT4PLUS has no complex menu or start up procedures to navigate. A large back lit LCD screen displays high accuracy results and also benefits from the latest in the digital microprocessor technology which delivers stable readings without digit flicker.

[Read More](#)



TEST LEADS AND ACCESSORIES

EFO manufactures and distributes a range of high quality Earth Trailing Leads and Test leads and Accessories. Our products include our innovative Independent Earth Trailing lead. Compact Earth and Neutral Reels. 50 and 100M Trailing leads on portable reels. We also supply Replacement test lead sets, Probes, Crocodile Clips etc. Customised products and configurations can also be manufactured upon request. All of our products can usually be used in conjunction with most electrical Test Equipment. We Supply Test leads and Accessories for Utilitys and Electrical Contractors. Please contact the Sales team at EFO for further product information.



REPLACEMENT NST LEAD SET

SKU: NSTLEAD

The EFO Replacement NST lead set is designed for metering installers using the Dewar NST. It contains CAT IV Test leads rated to Cat IV 600V 10A. Red Probe and Black and Green Crocodile Clips. Test leads for meters and testers are highly susceptible to poor contact and damage. Our patented screw end offsets the bending oppression, which makes it highly durable and long lasting. Fits most Test Equipment with 4mm Sockets.

[Read More](#)





CONVENIENT EXTENSION TEST LEAD

SKU: TR25-G

The New TR25-G Convenient Extension Test Lead can be used as a trailing lead or in situations where longer test leads are required to connect to test instruments. They can also be connected together for a longer run. Supplied with 25m of flexible cable. The 130mm diameter compact design allows the TR25 Extension Test Lead to fit into tool bags or back packs. Test Cable is easily wound back onto the reel for fast retrieval. A selector switch enables the reel to run free, under tension or stop. This product is also available in CATIV600V Red and Black test lead configurations.

[Read More](#)



EXTENDED INDEPENDENT EARTH TRAILING LEAD

SKU: ETL20SS-L

The EFO ETL20SS-L Extended Independent Earth Trailing Lead sets a new standard of quality and safety. The 645mm Earth Stake was designed for customers with applications in [Loam](#) soil environments. The standard [ETL20SS](#) overall length is 400mm and is used for general applications. Combining several uniquely innovative functional features. Developed with leading utilities and equally supporting Australian manufacturing.

[Read More](#)





3 PIN TEST LEAD SET FOR GPOS

SKU: TL-PIN

The TL-PIN 3 Pin Test Lead Set has a Red, Black and Green banana plugs and can be connected to most [Test Equipment](#) with 4mm Sockets. This Lead Set is generally used for connection of RCD and Loop impedance testers to Australian and New Zealand socket outlets. This lead set can also be used as the replacement socket connection for the EFO [MFT4](#) Multifunction tester and the [Autotrip](#) RCD tester.

[Read More](#)



STRAIGHT TEST LEAD SET CAT IV 600V

SKU: TL-RGB

The TL-RGB Straight Test Lead Set has Red and Black and also Green Probes and Crocodile Clips. This set has straight connection plugs for where a right angle plug cannot fit due to obstructions on the test equipment case. Rated to safety standard Cat IV 600V 10A. Test leads for meters and testers are highly susceptible to poor contact and damage. Our patented screw end offsets the bending oppression, which makes it highly durable and long lasting. The TL-RGB fits most test equipment with 4mm Sockets and is the preferred replacement lead set for the EFO [MFT4](#) and [AUTOTRIP](#).

[Read More](#)





LANTERN TEST LEAD SET CAT IV 600V

SKU: TL-L

This Lantern test lead Set has Red and Black Lantern Probes that fit into 4mm banana terminals. Rated to safety standard Cat IV 600V 10A. Test leads for meters and testers are highly susceptible to poor contact and damage. Our patented screw end offsets the bending oppression, which makes it highly durable and long lasting.

[Read More](#)



GPO TEST LEAD SET

SKU: TL-C

Sick of damaging or breaking your multimeter test probes. This GPO Test Lead Set is manufactured with flat chisel tips designed to easily fit into GPOs without damaging the socket outlet or the probes. This test lead set is rated at CATIV 600V with the caps on and CATII 1000V when removed.

[Read More](#)





POWER POINT TEST LEADS WITH CROC CLIPS

SKU: TL-CC

Sick of damaging or breaking your multimeter test probes. These Power Point Test Leads are manufactured with flat chisel tips designed to easily fit into GPOs without damaging the socket outlet or the probes. This test lead set is rated at CATIV 600V with the caps on and CATII 1000V when removed. This set also comes complete with Red/Black Crocodile clips for additional testing applications.

[Read More](#)



IEC TEST LEAD SET CAT IV 600V

SKU: TL-IEC

The EFO IEC Test Lead Set comes with Red, Black Probes and also Red, Black and Green Crocodile Clips. Rated to Cat IV 600V.

[Read More](#)





FUSED TEST LEAD SET CAT IV 500V 10A

SKU: FTL500

The EFO Fused Test Lead Set comes with Red and Black Fused Probes. Rated to Cat IV 500V 10A. Removable test lead caps for attaching alligator clips.

[Read More](#)



COMPACT EARTH TRAILING LEAD 50M

SKU: ER50

The EFO 50M Compact Earth Trailing Lead connects directly to most brands of test equipment with 4mm banana terminals. Its patented design allows for super fast retrieval. Loaded with 50 meters of green tinned flexible 1.5mm Cable rated at 0.6/1kV. It is also supplied with a 1100mm test lead for meter or accessory connection. Furthermore the cable is dual colour Green/White, to indicate any damage.

[Read More](#)





INDEPENDENT EARTH TRAILING LEAD

SKU: ETL20SS

The EFO Independent Earth Trailing Lead sets a new standard of quality and safety. Combining several uniquely innovative functional features. Developed with leading utilities and equally supporting Australian manufacturing.

[Read More](#)



FUSED TEST LEADS 1000V CATIV 500MA

SKU: FTL1000

Our Fused Test Lead 1000V are specialised lead set. They are also one of the only fused leads sets available rated to CAT IV 1000V.

[Read More](#)





2 TEST LEADS SET CAT IV 600V

SKU: TL-20

Test leads for meters and testers are highly susceptible to poor contact and damage. Our patented screw end offsets the bending oppression, which makes it highly durable and long lasting. Fits most Test Equipment with 4mm Sockets.

[Read More](#)



3 TEST LEADS SET CAT IV 600V

SKU: TL-30

The TL-30 Replacement 3 Test Leads Set has Red and Black and also Green Probes and Crocodile Clips. Rated to safety standard Cat IV 600V 10A. Test leads for meters and testers are highly susceptible to poor contact and damage. Our patented screw end offsets the bending oppression, which makes it highly durable and long lasting. Fits most Test Equipment with 4mm Sockets.

[Read More](#)






TEST LEADS CAT IV 600V

SKU: TL-10

TL-10 Test Leads Red and Black 4MM Banana Plugs Cat IV 600V 10A. Fits most Test Equipment with 4mm Sockets. Test leads for meters and testers are highly susceptible to poor contact and damage. Our patented screw end offsets the bending oppression, which makes it highly durable and long lasting.

[Read More](#)



INSULATED CABLE TEST POINT FOR ABC

SKU: PP1514

The EFO Insulated Cable test point is suitable for ABC cable ranges up to 150mm². Connects to standard 4mm banana plug.

[Read More](#)





100M EARTH TRAILING LEAD

SKU: ETL100

The EFO 100M Earth Trailing Lead is a high quality portable cable reel supplied with 100 metres of flexible cable 1.5mm 30/0.25. Furthermore it features only Quality Components. Our Earth Trailing Lead Connects directly to most brands of test equipment. Equipped with One alligator clip and two 4mm banana plugs. It is also supplied with a temporary independent earth stake. The cable is calibrated and resistance is marked on the Trailing Lead. The Earth Trailing Lead is also available in a 50M Version.

[Read More](#)



50M EARTH TRAILING LEAD

SKU: ETL50

The EFO 50M Earth Trailing Lead is a high quality portable cable reel supplied with 50 metres of flexible cable 1.5mm 30/0.25. Furthermore it features only Quality Components. Our Earth Trailing Lead Connects directly to most brands of test equipment. Equipped with One alligator clip and two 4mm banana plugs. It is also supplied with a temporary independent earth stake. The cable is calibrated and resistance is marked on the Trailing Lead. The Earth Trailing Lead is also available in 100M Version.

[Read More](#)



VALUE TEST EQUIPMENT PACKS

Value Test Equipment Packs



EFO TEST PACK 3

SKU: TP3

The EFO test pack 3 has been put together for electricians looking for great value and quality. This pack provides the essential test equipment for proving operation of your volt stick and multimeter before and after testing as part of the workplace practices. This pack offers special pack pricing as a bundle. The test pack consists of the PU240 Proving unit and Newley released VS50 Voltstick.

[Read More](#)





EFO TEST PACK 2

SKU: TP2

The EFO test pack 2 has been put together for electricians looking for great value and quality proving an essential testing solution. This pack offers special pack pricing as a bundle. The test pack consists of the newly released GBM1000 ghost busting multimeter with CA1000 flexible clamp adaptor and VS50 Voltstick.

[Read More](#)



EFO TEST PACK 1

SKU: TP1

The EFO test pack 1 has been put together to complete all the mandatory testing required to be performed by electrical workers. This pack is extremely good value and offers special pack pricing as a bundle. The test pack consists of an MFT4PLUS multifunction tester, the newly released GBM1000 ghost busting multimeter with CA1000 flexible clamp adaptor, EFO PU240 proving unit and VS50 Voltstick.

[Read More](#)



MULTI FUNCTION TESTERS

This One Multi function Installation Tester Covers Safety, Fault Finding & Compliance for installations, switchboards, socket outlets, plant & machinery. Built for AS/NZS: 3000 Mandatory Testing Requirements.

The Appa Insulation Tester and Multimeter is the ideal multi function tester for all electrical workers. This Utility grade Meter is also suitable for any CATIV 600V Zones. Packed with a large range of features.

Furthermore we select with best quality and value products. Consequently Saving you time on confusing options.



MULTI FUNCTION INSTALLATION TESTER

SKU: MFT4PLUS

[New MFT4PLUS Model Available Now](#)

This One Digital Multi function Installation Tester Covers Safety, Fault Finding & Compliance for installations, switchboards, socket outlets, plant & machinery. Built for AS/NZS: 3000 Mandatory Testing Requirements. The MFT4PLUS is a true multi-function tester. Loaded with powerful features that are readily accessible by the selector switch and clearly marked push buttons. Compared to other brands the EFO MFT4PLUS has no complex menu or start up procedures to navigate. A large back lit LCD screen displays high accuracy results and also benefits from the latest in the digital microprocessor technology which delivers stable readings without digit flicker.

[Read More](#)



RCD TEST EQUIPMENT

EFO supplies high quality RCD Test Equipment to comply with the mandatory safety requirements of AS/NZS 3000 and AS/NZS3760. Test functions of these RCD Testers include Ramp. Trip Time tests with a pass/fail displayed in accordance to AS/NZS3000 limits. Our RCD testers also include Automatic testing. Hands free and recall of results. These RCD Testers are essential for every electrician or technician conducting regular RCD testing and recording results. Furthermore we select with best quality and value products. Consequently Saving you time on confusing options.



MULTI FUNCTION INSTALLATION TESTER

SKU: MFT4PLUS

New MFT4PLUS Model Available Now

This One Digital Multi function Installation Tester Covers Safety, Fault Finding & Compliance for installations, switchboards, socket outlets, plant & machinery. Built for AS/NZS: 3000 Mandatory Testing Requirements. The MFT4PLUS is a true multi-function tester. Loaded with powerful features that are readily accessible by the selector switch and clearly marked push buttons. Compared to other brands the EFO MFT4PLUS has no complex menu or start up procedures to navigate. A large back lit LCD screen displays high accuracy results and also benefits from the latest in the digital microprocessor technology which delivers stable readings without digit flicker.

[Read More](#)



INSULATION RESISTANCE TESTERS

EFO distributes a range of Analogue and Digital Insulation Resistance Testers. Especially designed for the Electrical Trade and Utility applications. Without a doubt you will get the best value and quality for money. Our Analogue and Digital Insulation testers voltage ranges include 250V/500V/1000V. All have Low Ohm functions for electrical resistance testing. All of our Insulation Resistance Testers can be issued with a Test Report or Calibration Certificate. In Addition for higher Voltages we offer the Sanwa High voltage 5KV Digital Insulation resistance tester. Used in measurement of Insulation Resistance of a power line and power equipment within the range of CAT IV 600V. Furthermore we select with best quality and value products. Consequently Saving you time on confusing options.



EFO ANALOGUE INSULATION TESTER

SKU: IRA1000

The IRA1000 EFO Analogue Insulation Tester has always been a popular choice because of its price and simplicity for insulation testing. This insulation tester comes with the factory calibration certificate and test report.

[Read More](#)





10KV HV INSULATION TESTER

SKU: 6310IN

The SEW 10KV HV Insulation Tester tests insulation resistance to 20TΩ and has 4 test voltages 1000V, 2500V, 5000V and 10000V. Other features include Dielectric Absorption Ratio indication and Polarization Index. Furthermore there is a visual and audio warning of live voltages. This Unit comes complete with Data Communication functionality and Software and truly represents fantastic buying.

[Read More](#)



SANWA 5KV DIGITAL INSULATION TESTER

SKU: MG5000

The Sanwa High voltage 5KV Digital Insulation resistance tester for use in measurement of Insulation Resistance of a power line and power equipment within the range of CATIV 600V. The Sanwa 5Kv Insulation tester undoubtedly is the best value for money on the market. Made in Japan it features include. Auto discharge function and. Dielectric absorption ratio. Data hold and also auto power save.

[Read More](#)





SANWA DIGITAL INSULATION TESTER

SKU: MG1000

The Sanwa Digital insulation Tester is also built in Japan. It features Fast Response without digital flicker. As Well as a large log scaled bargraph. Furthermore it has a strong and durable hard case. This Unit is Equally great value. Safety features include Voltage Warning and Voltage interlock.

[Read More](#)



MULTI FUNCTION INSTALLATION TESTER

SKU: MFT4PLUS

New MFT4PLUS Model Available Now

This One Digital Multi function Installation Tester Covers Safety, Fault Finding & Compliance for installations, switchboards, socket outlets, plant & machinery. Built for AS/NZS: 3000 Mandatory Testing Requirements. The MFT4PLUS is a true multi-function tester. Loaded with powerful features that are readily accessible by the selector switch and clearly marked push buttons. Compared to other brands the EFO MFT4PLUS has no complex menu or start up procedures to navigate. A large back lit LCD screen displays high accuracy results and also benefits from the latest in the digital microprocessor technology which delivers stable readings without digit flicker.

[Read More](#)



DIGITAL MULTIMETERS CAT IV

EFO supply's Digital Multimeters CAT IV for Utility's, ASPs, Metering Installers and Electrical Contractors. Our products are suited for Industrial, Commercial and Domestic environments. Our range of High Quality Digital Multimeters specifically all provide the essential relevant safety category of CAT IV 600V. Furthermore we select with best quality and value products. Consequently Saving you time on confusing options.



KLEIN CATIV TOUGH MULTIMETER

SKU: MM720

The [Klein CATIV Tough Multimeter](#) is drop proof to 2M. It has all the Required functions required by Electrical Utility workers and General Electricians. It features a low impedance function to eliminate ghost voltages while importantly Providing a safety category rating of CAT IV 600V.

[Read More](#)





GHOST VOLTAGE BUSTING MULTIMETER 1000V AC/DC TRMS

SKU: GBM1000

Next Generation Multimeter Safety

The New Ghost Voltage Busting Multimeter from EFO Automatically Busts Ghost Voltages Presenting a LoZ low impedance voltage input to the circuit to bleed off any potential ghost voltages the GBM1000 automatically switches to a high impedance input for increased user safety and measurement accuracy.

[Read More](#)



DIGITAL CLAMP METERS

EFO is a Australian distributor of high quality Digital Clamp Meters from Sanwa, Mastech and Klein. We supply Digital Clamp Meters for Utility, Industrial, Commercial and Domestic Applications. Our Range of clamp meters are available in CAT III and CAT IV with both AC and DC Functions. Our

Clamp meters can be supplied with Calibration Certificates. Furthermore we select with best quality and value products. Consequently Saving you time on confusing options.



KLEIN LOW-IMPEDANCE CLAMP METER

SKU: CL710

Klein Tools CL710 Clamp Meter delivers accurate measurements across AC/DC current, voltage, resistance, continuity, frequency, and capacitance, all with True RMS precision. It features diode testing and a Low Impedance (LoZ) mode to eliminate ghost voltages. The clamp features NCV detection with escalating audio-visual alerts the closer to the voltage source. The transfective reverse-contrast display and lighted dial ensure visibility in any lighting; a reliable tool for diverse applications.

[Read More](#)





FLEXIBLE COIL CURRENT SENSOR 1000A

SKU: CA1000

The EFO [GBM1000](#) multimeter provides a designated AC Clamp function designed for use with the CA1000 displaying accurate current measurements directly in Amps.

[Read More](#)



SANWA 1000A CLAMP METER CAT IV 600V

SKU: DCM301

The Sanwa 1000A Clamp Meter is designed for measurements of low-voltage circuits in the application range of 1000V CAT III and 600V CAT IV. It is suited to current and voltage measurement of power lines, electrical equipment, and electrical facilities less than 1000Vrms to ground.

[Read More](#)





SANWA 2000A CLAMP METER

SKU: DCM2000DR

This instrument is an AC/DC clamp meter/digital multimeter of the RMS value response type, designed for measurements in the range specified by IEC61010-1 CAT.IV 1000V. It is suitable for current and voltage measurements of low-voltage circuitry, electric equipment and power supply facilities.

[Read More](#)



SANWA LEAKAGE CLAMP METER

SKU: DLC470

The Sanwa Leakage Clamp Meter is very useful for measuring earth leakage or load current on power circuits, RCDs and electrical equipment. This meter is extremely accurate and is must for any serious electrician conducting fault finding tasks.

[Read More](#)





KLEIN 600A TOUGH CLAMPMETER

SKU: CL800

The Klein 600A Tough Clampmeter is Drop Proof to 2M. It features a low impedance function to eliminate ghost voltages while importantly providing a safety category rating of CAT IV 600V. It has all the Required functions required by Electrical Utility workers and General Electricians.

[Read More](#)



EFO PROVING UNITS

EFO Manufacturers a range of battery powered true AC waveform output proving units. Our proving units provide a safe and reliable means of checking the correct functioning of Multi meters and two pole voltage indicators. before and after use as advised in the safe working practice for electricians. The test voltage generated is at 50Hz to synthesise a genuine test at AC mains supply frequency. Additionally they have the capability of checking the Operation of Non-Contact voltage detectors. Furthermore we select with best quality and value products. Consequently Saving you time on confusing options.



MARTINDALE 230V PROVING UNIT AC/DC

SKU: PRD230SRD

The Martindale 230V Proving Unit AC/DC is fast and easy to use, instantly supplying the test voltages for both high and low-impedance multimeters. It comes complete with an over molded low-profile case with a magnetic hanger.

[Read More](#)





PROVING UNIT FOR HV NON-CONTACT DETECTORS

SKU: HVNCT300

This Proving Unit for HV Non-Contact Detectors is designed to be used in conjunction with High Voltage non-contact voltage detectors such as the [HP300](#). The Unit produces an EMF (Electro-magnetic field) which can be detected to prove the detector it is working correctly. They produce enough EMF to allow HV Non-Contact detectors to be tested at up to 500,000 volt at a distance of 50 mm.

[Read More](#)



NON CONTACT VOLTAGE TESTER PROVING UNIT

SKU: PROVEIT

The PROVEIT Voltage Tester Proving Unit proves the function of non-contact voltage testers before and after use. The EFO Voltage Tester Proving Unit simulates a 230V electric field and comes with a tool bag/belt clip for hands free use.

[Read More](#)



PU400 PROVING UNIT 50-690V AC

SKU: PU400

The PU400 Proving Unit provides a safe and reliable means of checking the correct functioning of Multi meters and two pole Voltage Indicators (VIs) before and after use as advised in the Working Practice for electricians. Additionally they have the capability of checking the operation of Non-Contact voltage detectors.

[Read More](#)



PU240 PROVING UNIT 240V AC

SKU: PU240

The PU240 Proving Unit provides a safe and reliable means of checking the correct functioning of Multi meters and two pole Voltage Indicators (VIs) before and after use as advised in the Safe Working Practice For electricians. Additionally they have the capability of checking the Operation of Non-Contact voltage detectors.

[Read More](#)



LOAD TESTER UNITS

Load Tester Units are used as an Electrical load on kWh power meters. When testing at the switchboard to ensure the correct operation and functionality of the meters. All our Load Tester Units offer CAT IV Safety rating for the User. All Units also come complete with storage bag and accessories. EFO also supplies a full range of metering test equipment and PPE. Furthermore we select with best quality and value products. Consequently Saving you time on confusing options.



7A LOAD UNIT 2000W CAT IV

SKU: L2000W

The EFO Loadlead provides a cost effective and safer method to connect an electrical load whilst testing meter operation at the switchboard. It consists of 2 fused probes, test leads and Socket. Rated at CAT IV 500V you can use the Loadlead with the EFO portable load or any 240V double insulated appliance with a output not exceeding 2000W. Combining Our LOADLEAD together with our 7A Load Unit 2000W you can apply a 7A Load test. The load unit is also supplied with a hanging hook, crocodile clips and a carry bag.

[Read More](#)



LOOP IMPEDANCE TESTERS

EFO Fault Loop Impedance Testers and Impedance testers are designed for Utility, Industrial, Commercial and Domestic Electrical workers. Our Range of Impedance Testers feature all round testing as well as specialist units for Utilities and Accredited Service Providers.



M1120-V2-B BLUETOOTH NST NEUTRAL AND SUPPLY TESTER

SKU: M1120KIT-B

The Dewar M1120-V2 NST Neutral and Supply Tester was designed in conjunction with Power companies. To ensure the incoming Active and Neutral power connections to customer's premises are correctly identified and are safe to use before a power connection is made. EFO also supplies NST testing accessories and personal protective equipment. This is Bluetooth model for NSW and ACT only, as the maximum neutral to earth voltage is 10 volts. Click here for NST M1120-V2-B Neutral Supply Tester for QLD, SA and VIC.



[Read More](#)





M1121-V2-B BLUETOOTH NST NEUTRAL AND SUPPLY TESTER

SKU: M1121KIT-B

The Dewar M1121-V2 NST Neutral and Supply Tester was designed in conjunction with Power companies. To ensure the incoming Active and Neutral power connections to customer's premises are correctly identified and are safe to use before a power connection is made. EFO also supplies NST testing accessories and personal protective equipment. This is Bluetooth model for NSW and ACT only, as the maximum neutral to earth voltage is 10 volts. Click here for NST M1120-V2-B Neutral Supply Tester for QLD, SA and VIC.

[Read More](#)



MULTI FUNCTION INSTALLATION TESTER

SKU: MFT4PLUS

New MFT4PLUS Model Available Now

This One Digital Multi function Installation Tester Covers Safety, Fault Finding & Compliance for installations, switchboards, socket outlets, plant & machinery. Built for AS/NZS: 3000 Mandatory Testing Requirements. The MFT4PLUS is a true multi-function tester. Loaded with powerful features that are readily accessible by the selector switch and clearly marked push buttons. Compared to other brands the EFO MFT4PLUS has no complex menu or start up procedures to navigate. A large back lit LCD screen displays high accuracy results and also benefits from the latest in the digital microprocessor technology which delivers stable readings without digit flicker.

[Read More](#)



PHASE ROTATION METERS

Our Phase Rotation Meters have been designed to offer the highest Safety Rating CATIV 600V. The EFO range offers both contact and also non-contact versions. Our Phase Rotation Meters are designed for Use with Utility workers. ASP Service providers. Industrial. Commercial and General Electricians. Furthermore we select with best quality and value products. Consequently Saving you time on confusing options.



NON-CONTACT PHASE ROTATION METER 2M LEADS

SKU: PR3NC-2M

Our Non-Contact Phase Rotation Meter with 2M leads has been designed to for utility customers with 2M leads and CAT IV 600V Safety rating. Our Phase Rotation Meters are designed for Use with Utility workers, ASP Service providers and also electrical contractors.

[Read More](#)






NON-CONTACT PHASE ROTATION METER CAT IV

SKU: PR3NC

Our Non-Contact Phase Rotation Meter has been designed to the highest Safety Rating CAT IV 600V. Our Phase Rotation Meters are designed for Use with Utility workers, ASP Service providers and also electrical contractors.

[Read More](#)



CONTACT PHASE ROTATION METER CAT IV

SKU: PR3

[Read More](#)



VOLTAGE TESTERS AND INDICATORS

EFO Manufactures and Distributes a range of high quality contact and non contact voltage testers and indicators. Designed for Utility. Industrial. Commercial and Domestic Electrical workers. All of our Voltage Testers are developed to offer the highest safety rating. They also have features that you will not find in other Test Equipment brands. Furthermore we select with best quality and value products. Consequently Saving you time on confusing options.



EFO CONTACTLESS VOLTAGE TESTER

SKU: VS50

The EFO contactless voltage tester has been designed to meet the high quality and specifications required by Australian utilities and service providers. The operating range is 50-1000V with a overvoltage safety category rating of CAT IV 1000V. Furthermore the EFO VS50 contactless voltage tester features a self test and is contained in a IP65 rugged waterproof housing.

[Read More](#)





CONTACT HIGH VOLTAGE DETECTOR 11KV

SKU: 213HVD

This Contact High Voltage Detector has been designed to meet the latest IEC standards. The HVDs are used to determine whether a system is live or not so that it may be safely earthed/grounded. It is self starting and automatically activated when high voltage is applied to the contact electrode.

[Read More](#)



SANWA VOLTAGE DETECTOR SUPPORTER

SKU: KDP10



The Sanwa Voltage Detector Supporter is a device to prevent erroneous cutting of live wires due to misjudgement. Before cutting, you can see if the wiring is live. It is designed to be attached to electricians pliers. When the cable is live the product notifies you with a alarm and LED indication. The product is not to be used in place of a voltage detector or multimeter in testing for dead.

[Read More](#)





HIGH AND LOW VOLTAGE DETECTOR

SKU: 279HD

The SEW High and Low Voltage detector is a contact style voltage detector. This unit has a working range of 80V-11.4KV and also works on 50 and 60Hz Systems. It Has a self test function and has a waterproof rating of IP66.

[Read More](#)



HIGH VOLTAGE PHASING METER

SKU: MDP-50K

The MDP-50K multi purpose High Voltage Phasing Meter provides a direct reading voltage measurement as well as phasing capability. The unit has three measurement scales: 4.0kV, 40.0kV, and 50kV AC/DC. It is supplied with universal spline attachments to allow use with any standard fixed hot stick or telescopic hot stick for hot line work.

[Read More](#)



NON CONTACT VOLTAGE DETECTOR

SKU: LVD-15

The SEW Non Contact Voltage Detector is intended to check for the presence of AC Voltage, signalling the user with an intermittent tone and a flashing LED. They are used to detect voltage in outlets, lighting fixtures, circuit breakers, wires, and cables or to find a break in a wire.

[Read More](#)



FUSED TEST LAMPS WITH MAGNETIC HOLDER

SKU: MTL2W

Additional features built into the MTL2W series fused test lamps create a very versatile and safe tester. A convenient magnetic holder has also been developed to hang the tester for hands free operation where suitable. Two bright 25W bulbs are fitted with innovative safety guards built into the mould, protecting the user from coming into contact with the lamps. Furthermore decreasing the chance of accidental breakage. 2 x fused 1 metre test leads provide a working span of 2 metres. Our Series Test Lamps are CATIV 500V safety rated and is supplied with 2 x chisel probes, magnetic holder and also a carry bag. Optional changeable probe tips and crocodile clips are available separately.

[Read More](#)



NON-CONTACT HIGH VOLTAGE DETECTOR

SKU: HP300

The HP300 is a IP66 water-proof designed proximity tester for checking the presence of AC high and low voltages. It also has nine voltage detection settings from 240Vac to 275kVac. The Non-Contact High Voltage Detector provides detection of AC voltages with an internal pickup sensor plate. It attaches attaches via a sunrise fitting coupled with a Hot stick

[Read More](#)



NETWORK TESTERS

EFO is the Distributor for Dewar NST Network Testers. The Neutral and Supply Tester was designed in conjunction with Power companies. To ensure the incoming Active and Neutral power connections. To customer's premises are correctly identified and safe. They are use before a power connection is made. Our ETL20SS Independent Earth Trailing Lead is also used in conjunction with this product. EFO Also supplies a Cable Tracer and Tone Generator for telecommunications and dead Electrical cables.



M1120-V2-B BLUETOOTH NST NEUTRAL AND SUPPLY TESTER

SKU: M1120KIT-B

The Dewar M1120-V2 NST Neutral and Supply Tester was designed in conjunction with Power companies. To ensure the incoming Active and Neutral power connections to customer's premises are correctly identified and are safe to use before a power connection is made. EFO also supplies NST testing accessories and personal protective equipment. This is Bluetooth model for NSW and ACT only, as the maximum neutral to earth voltage is 10 volts. [Click here for NST M1120-V2-B Neutral Supply Tester for QLD, SA and VIC.](#)



[Read More](#)





M1121-V2-B BLUETOOTH NST NEUTRAL AND SUPPLY TESTER

SKU: M1121KIT-B

The Dewar M1121-V2 NST Neutral and Supply Tester was designed in conjunction with Power companies. To ensure the incoming Active and Neutral power connections to customer's premises are correctly identified and are safe to use before a power connection is made. EFO also supplies NST testing accessories and personal protective equipment. This is Bluetooth model for NSW and ACT only, as the maximum neutral to earth voltage is 10 volts. Click here for NST M1120-V2-B Neutral Supply Tester for QLD, SA and VIC.

[Read More](#)



SEW TONE CABLE TRACER F-SET

SKU: 181CB

The SEW Tone Cable Tracer is commonly referred to as F Sets. They are one of the simplest ways to trace unpowered cables using a Amplifier probe and also tone generator.

[Read More](#)



CALIBRATION INSTRUMENTS

EFO Supplies a range of Calibration Instruments. The Socket and See CB400AU is unquestionably the ultimate installation testing calibration check box. By using this calibration check box you can be assured that your test equipment is operating correctly ensuring that your certification is always accurate. The CB400AU works with all leading makes of Loop, Insulation/Continuity and RCD Testers, both multi function and also single operation.




INSULATED GLOVE INFLATOR TESTER

SKU: GLOVEIN

The EFO Insulated Glove Inflator Tester is a portable device that conducts a air test on Insulated gloves and assists users during visual inspection to search for any abrasion, cuts, tears or punctures. Our Glove inflator can be used anywhere and comes with a durable storage bag made out of canvas and a strap to hold the rubber insulating glove in place.

[Read More](#)





SEW ITC8 CHECK BOX

SKU: ITC8

The SEW ITC8 Check Box provides a quick check to ensure the instrument being used is reading accurately. This resistor block allows the user to regularly verify the measurements taken by their insulation tester or multi meter. The check box has 12 resistance settings ranging from 0.5 Ohms to 10MOhms to check against.

[Read More](#)



CALIBRATION VERIFICATION CHECK BOX

SKU: CB400AU

The Socket and See CB400AU truly is the ultimate installation testing calibration verification check box. By using the CB400AU you can be assured that your test equipment is operating correctly ensuring that your certification is always accurate. This unit works with all leading makes of Loop, Insulation/Continuity and RCD Testers, both multi function and single operation.

[Read More](#)



EARTH RESISTANCE TESTERS

EFO Supply's a quality range of cost effective Earth Resistance Testers. 3 and 4 Wire Earth Resistance Testers are among the options available. Furthermore we select with best quality and value products. Consequently Saving you time on confusing options.



4 WIRE EARTH RESISTANCE TESTER

SKU: 4234ER

The 4234ER 4 wire earth resistance tester is capable of performing 2-pole, 3-pole and 4-pole ground resistance tests. The 4234ER is a microprocessor controlled, auto-ranging instrument, which makes it easy to use, cutting down the operators input and saving time.

[Read More](#)



MISCELLANEOUS TEST EQUIPMENT

Miscellaneous Test Equipment from Electrical Factory Outlet.



ENHANCED THERMAL IMAGER

SKU: TC730E

The TC730E is an advanced thermal imager with Wi-Fi capability. Its large 3.5" IPS screen can clearly display 320x240 thermal resolution, 2MP visual camera, or a blended image of both. TC730E detachable battery pack is also convenient for easy and quick battery change, allowing continuously work for long periods of time.

[Read More](#)





PORTABLE THERMAL CAMERA 320×240

SKU: TC716S

The TC716S is a cost-effective portable thermal camera with multi-language OS. The sturdy and durable quality build has a IP54 rating and can withstand the drop of 2m height. The 4 button design is easy-to-use. Benefited by the wide temp measurement range and the built-in illuminator and laser pointer, widely applies in HVAC, electrical utility's, mechanical inspection and automotive maintenance.

[Read More](#)



KLEIN CARBON MONOXIDE DETECTOR

SKU: ET110

The ET110 CO Detector is an easy-to-use meter that detects and measures concentration levels of carbon monoxide (ppm) and temperature (Fahrenheit/Celsius), making it the perfect choice for HVAC professionals. Features backlit LCD screen, warning indicator light, audible and visual alarms and multiple function buttons. Includes carrying pouch and 4 x AAA batteries.

[Read More](#)





THERMAL IMAGER FOR IOS DEVICES

SKU: TI222

The Klein Tools TI222 Thermal Imager for iOS Devices has 10,800 pixels delivering excellent resolution to troubleshoot hot and cold spots. This Thermal Imager is perfect for detecting hot spots in panels, on wiring, or on parts of equipment; helping find sources of energy loss within a home/building; helps detect moisture behind walls and flooring; clogs in pipes; and much more. Fits phone cases up to 1/16-Inch (1.5 mm). Phone cases thicker than 1/16-Inch (1.5 mm) may require removal of case for secure connection. Easily capture, store, and share thermal images and video through the Klein Tools Thermal Imager App, available for free in the App Store.

[Read More](#)



SEW DIGITAL MILLIOHM METER

SKU: 4137MO

The microprocessor controlled SEW Digital Milliohm Meter comes supplied from EFO with a set of high quality kelvin test leads to assist in making accurate measurements.

[Read More](#)

