

LEVEL 2 ASP EQUIPMENT

Electrical tools for accredited service providers should be safe and efficient. EFO only supply's high quality level 2 ASP Equipment. Specifically designed for electrical contractors conducting Category 1. Category 2. Category 3 and Category 4 work. Level 2 ASP equipment is for electrical contractors undertaking underground and/or service work on utility networks. As such, you require a specific range of equipment to undertake the work from the point of supply. to the point of attachment and the meter box. As leading distributor level ASP Equipment our focus constantly improving design and functionality. Furthermore we provide the best quality and value products. Consequently Saving you time on confusing options.



WATTMASTER 1000V LINESMAN'S PLIERS 225MM

SKU: LP1000

The Wattmaster 1000V Linesman's Pliers are heavy Duty Pliers tested to 1000V. These pillars a essential for any quality electricians kit.

[Read More](#)





EFO CONTACTLESS VOLTAGE TESTER

SKU: VS50

The EFO contactless voltage tester has been designed to meet the high quality and specifications required by Australian utilities and service providers. The operating range is 50-1000V with a overvoltage safety category rating of CAT IV 1000V. Furthermore the EFO VS50 contactless voltage tester features a self test and is contained in a IP65 rugged waterproof housing.

[Read More](#)



KLEIN SELF-ADJUSTING WIRE STRIPPER

SKU: 11061

The Klein Tools Self-Adjusting Wire Stripper / Cutter takes the guesswork out of stripping solid, stranded, and Romex® wire. As the name suggests, this tool features a self-adjusting stripping head for quick, precise wire stripping. It's especially useful in panels and other places where multiple types and sizes of wire are present. Great for HVAC applications.

[Read More](#)





POLE TOP DESCENDER KIT

SKU: PTR

The EFO Pole Top Descender kit is suitable for customers that would already have existing PPE components required for pole top rescue .

[Read More](#)



POLE TOP RESCUE KIT

SKU: PTRKIT

The EFO Pole Top Rescue Kit is designed for rescuing a casualty suspended from their work position and fall arrest equipment when working on a pole. No assembly is required by the user. A safety knife is included in case of difficulty releasing the casualty. The rescuer accesses the casualty in order to recover them from the pole.

[Read More](#)





M1120-V2-B BLUETOOTH NST NEUTRAL AND SUPPLY TESTER

SKU: M1120KIT-B

The Dewar M1120-V2 NST Neutral and Supply Tester was designed in conjunction with Power companies. To ensure the incoming Active and Neutral power connections to customer's premises are correctly identified and are safe to use before a power connection is made. EFO also supplies NST testing accessories and personal protective equipment. This is Bluetooth model for NSW and ACT only, as the maximum neutral to earth voltage is 10 volts. Click here for NST M1120-V2-B Neutral Supply Tester for QLD, SA and VIC.

[Read More](#)



M1121-V2-B BLUETOOTH NST NEUTRAL AND SUPPLY TESTER

SKU: M1121KIT-B

The Dewar M1121-V2 NST Neutral and Supply Tester was designed in conjunction with Power companies. To ensure the incoming Active and Neutral power connections to customer's premises are correctly identified and are safe to use before a power connection is made. EFO also supplies NST testing accessories and personal protective equipment. This is Bluetooth model for NSW and ACT only, as the maximum neutral to earth voltage is 10 volts. Click here for NST M1120-V2-B Neutral Supply Tester for QLD, SA and VIC.

[Read More](#)





ABC SERVICE LINE COMEALONG 95-150MM2

SKU: 12894

The EFO Large range ABC Service Line Comealong is designed for easy application. They are equipped with plated bodies, long fixed jaw and a spring loaded moving jaw which keeps the tool in place on the conductor. Suitable for ABC Cables ranging from 95mm² to 150mm².

[Read More](#)



DECO INDUSTRIAL HV LEATHER OUTERS

SKU: EOHVC

Deco HV leather over gloves are specifically designed for the use with high voltage insulating gloves. They are sized larger to allow easy fit over thicker HV Insulated gloves. Sizes are available from 8 through to 11.

[Read More](#)





SANWA 1000A CLAMP METER CAT IV 600V

SKU: DCM301

The Sanwa 1000A Clamp Meter is designed for measurements of low-voltage circuits in the application range of 1000V CAT III and 600V CAT IV. It is suited to current and voltage measurement of power lines, electrical equipment, and electrical facilities less than 1000Vrms to ground.

[Read More](#)



NON-CONTACT PHASE ROTATION METER 2M LEADS

SKU: PR3NC-2M

Our Non-Contact Phase Rotation Meter with 2M leads has been designed to for utility customers with 2M leads and CAT IV 600V Safety rating. Our Phase Rotation Meters are designed for Use with Utility workers, ASP Service providers and also electrical contractors.

[Read More](#)





ELECTRICAL INSTALLATION IN PROGRESS SIGN 450MM X 300MM

SKU: EIPSIGN

The Electrical Installation in Progress sign is required by Level 2 Asps Contractors or Meter Installers when working on a electrical installation.

[Read More](#)



HEARTSINE FULLY AUTOMATIC DEFIBRILLATOR

SKU: DEFIB

The sophisticated HeartSine fully automatic defibrillator is specially designed for use in workshops, vehicles and in public areas. Inside is a lightweight and easy-to-operate system. The HeartSine samaritan is a fully automatic defibrillator designed to analyse heart rhythm and automatically deliver an electrical shock (if needed). Its advanced technology is balanced against the demands of real-world use.

[Read More](#)





CUT-RESISTANT RIGGERS GLOVES

SKU: 6CH5SKG

Superior Endura goatskin Cut-Resistant Riggers Gloves are stronger and harder-wearing than other riggers gloves, and yet provide amazing feel and dexterity. With an ANSI puncture level 4 and cut level A4, these gloves are perfect when multiple hazards are present.

[Read More](#)



SUBSTATION AND SWITCHBOARD DRAPE 1200X600MM

SKU: SBD2

Our Substation and Switchboard Drape 1200x600mm is designed to help screen potentially live electrical environments during routine maintenance. Tested and stamped to comply with Australian Standard AS-4202. Furthermore customized sizes can be ordered upon request.

[Read More](#)





ARCSAFE AMPSHIELD ARC FLASH FACE SHIELD 14 CAL/CM2

SKU: AFS14

The ArcSafe® AmpShield Arc Flash Face Shield offers a transparent alternative to the traditional green face shields. The highly transparent, nearly clear, arc flash protective shield provides enhanced visibility and heightened colour recognition.

[Read More](#)



EXTENDED INDEPENDENT EARTH TRAILING LEAD

SKU: ETL20SS-L

The EFO ETL20SS-L Extended Independent Earth Trailing Lead sets a new standard of quality and safety. The 645mm Earth Stake was designed for customers with applications in [Loam](#) soil environments. The standard [ETL20SS](#) overall length is 400mm and is used for general applications. Combining several uniquely innovative functional features. Developed with leading utilities and equally supporting Australian manufacturing.

[Read More](#)





1000V ELECTRICAL INSULATED MAT AS/NZS 61111:2020

SKU: MATLV

Recommended for protection of personnel where there is a possibility of contact with electrical equipment or conductors in domestic, commercial and industrial work areas. Our 1000V electrical insulated mat is manufactured of high quality dielectric elastomer rubber to provide complete protection against electrical shock due to earth faults. EFO switchboard matting complies with the Australian and New Zealand standard AS/NZS 61111:2020.

[Read More](#)



HOUSE SERVICE FUSE PULLER 450MM

SKU: HS-450

The EFO House Service Fuse Puller is used by ASP's and REC's to remove the fuse carrier in barge type service fuse or fuse switch disconnecter. Lightweight with rubber grip handle the house service fuse puller allows the user to operate safely with one hand.

[Read More](#)





HONEYWELL HALF MASK RESPIRATOR KIT

SKU: RHSP-7700P2

The 7700 Series Honeywell Half Mask Respirator is the most comfortable and durable half mask available. Its soft non allergenic silicone seal provides excellent protection, comfort and fit. The half mask cradle suspension system allows the face piece to seal evenly on the face without creating pressure points. Its low profile gives workers a wide field of vision. Featuring low inhalation and exhalation resistance the 7700 Series makes breathing easier to reduce worker fatigue. This Kit Contains the half face silicone mask, along with P3 filter sets for applications where users are working around asbestos or Silica contamination, or suspect traces in the working area.

[Read More](#)



ELECTRICAL FIRST AID AND BURNS KIT

SKU: EWFAB

Our Electrical First Aid Burns Kit meets ISSC14 Type B requirements and also contains the additional items for electrical workers as set out in table 3.2. Outlined in NSW Occupational Health and Safety Regulation and also Work Cover NSW – First Aid in the Workplace. Guide Legislation requires first aid kits to be made available at all work areas taking into consideration: The type of work; The work environment; and The numbers of personnel.

[Read More](#)





1000V INSULATED GLOVE KIT

SKU: GLOVEKIT1000

The EFO 1000V Insulated Glove Kit provides effective individual protection for anyone required to work on live voltages and perform operations on or in proximity to electric installations.

[Read More](#)



500V INSULATED GLOVE KIT

SKU: GLOVEKIT500

The EFO 500V Insulated Glove Kit provides effective individual protection for anyone required to work on live voltages and perform operations on or in proximity to electric installations.

[Read More](#)





DECO GOATSKIN OVER GLOVES

SKU: EOVG

Deco Goatskin Over Gloves are used to provide mechanical protection from abrasion, cut, tear and also perforation. These gloves can be worn over [280mm Insulated Rubber Gloves](#) and 360mm insulated gloves. Sizes are available from 8 through to 12.

[Read More](#)




ABC SERVICE LINE COMEALONG

SKU: 12870

The EFO ABC Service Line Comealong is designed for easy application. They are equipped with plated bodies, long fixed jaw and a spring loaded moving jaw which keeps the tool in place on the conductor. Suitable for ABC Cables ranging from 16mm² to 35mm².

[Read More](#)





DANGER ASBESTOS REMOVAL SIGN 450MM X 300MM

SKU: ASBSIGN

The Danger Asbestos Removal sign is required by Level 2 Asps Contractors or Meter Installers when working around Asbestos. EFO also provides Asbestos Safety for minor works. Required by Electrical Workers and Tradespeople working around asbestos.

[Read More](#)



DECO 1000V INSULATED GLOVES

SKU: D1000

Deco 1000V insulated Gloves provide effective individual protection for anyone required to work on live voltages and perform operations on or in proximity to electric installations. Each Class 0 1000V Insulated glove is tested to AS/NZS IEC60903:2020 standard to ensure maximum efficiency and safety.

[Read More](#)





SUBSTATION AND SWITCHBOARD DRAPE 600X450MM

SKU: SBD1

Our Substation and Switchboard Drape 600x450mm is designed to help screen potentially live electrical environments during routine maintenance. Tested and stamped to comply with Australian Standard AS-4202. Furthermore customized sizes can be ordered upon request.

[Read More](#)



STREET LIGHT COLUMN KIT

SKU: SLCKIT

The Low voltage Street Light Column Kit is designed to help screen potentially live electrical environments during routine maintenance. Our kits have been specified by Electrical Utilities and conform to local and international standards. And provide an easy to use solution with all necessary components in one place, also stored in a bag.

[Read More](#)





LV FUSE REMOVER 800MM

SKU: HS-800

The HS-800 LV fuse remover provides a cost effective solution for removing LV fuses and operation of testing devices when in close proximity from an insulated ladder or bucket. Made from high grade electrical rated fibreglass our fuse remover is a very handy accessory for linemen and electrical workers.

[Read More](#)



7A LOAD UNIT 2000W CAT IV

SKU: L2000W

The EFO Loadlead provides a cost effective and safer method to connect an electrical load whilst testing meter operation at the switchboard. It consists of 2 fused probes, test leads and Socket. Rated at CAT IV 500V you can use the Loadlead with the EFO portable load or any 240V double insulated appliance with a output not exceeding 2000W. Combining Our LOADLEAD together with our 7A Load Unit 2000W you can apply a 7A Load test. The load unit is also supplied with a hanging hook, crocodile clips and a carry bag.

[Read More](#)






1000V INSULATED TORQUE SCREWDRIVER

SKU: TS9

One of the main advantages of our 1000V Insulated Torque Screwdriver Set is the precision torque control. This feature is crucial when you're working on switch-gear and consumer units helping alleviate the risk of damaging terminals, arcing circuits, or hot spotting. However more importantly it stops you under or over-tightening terminal screws. Each individually calibrated torque screwdriver ensures precise, easy adjustment between 1.0 - 5.0 Nm.

[Read More](#)



POLE WORK PLATFORM FOR TIMBER POLES

SKU: PPLATW

Designed especially for overhead line work, the EFO pole platform for timber poles is approved and used by many Utilities.

[Read More](#)





TELESCOPIC HOT STICK 3.82M

SKU: HS3

The EFO HS3 Telescopic Hot Stick 3.82m provides maximum flexibility and access for linesman needing to access electrical systems from a working distance. Its unique triangular design allows for easy operation without compromising strength and durability. Our Telescopic Hot Stick has been designed to telescopically extend and retract into itself with integrated locking buttons. All sections are made from high grade electrical rated fibreglass.

[Read More](#)



LINESMAN'S WIRE SCRATCH BRUSH

SKU: DBWB-1

The Madi Dogbone Linesman's wire scratch brush Decreases outages, minimises open neutrals and bad connections. The Dogbone Uses one end for Aluminium and the other for Copper. Furthermore it has Integrated replaceable wire brushes.

[Read More](#)





SALISBURY ARC FLASH FACE SHIELD 12 CAL/CM2

SKU: AS1200HAT-PP

The new Premium Salisbury Arc Flash Face shield is a Weight Balancing Arc Flash Face Shield and Helmet. It stows in a balanced compact position, centred over the top of the hard hat when not required. The Face shield has an ATPV rating of 12 cal/cm². Nanotechnology provides a more transparent window for improved visibility. The Salisbury Arc Flash Face Shield unit includes air vents below the chin that allow a natural convection air flow through the face shield. As a result this reduces fogging of the visor, lowers CO₂ levels and improves comfort for the user.

[Read More](#)



INDEPENDENT EARTH TRAILING LEAD

SKU: ETL20SS

The EFO Independent Earth Trailing Lead sets a new standard of quality and safety. Combining several uniquely innovative functional features. Developed with leading utilities and equally supporting Australian manufacturing.

[Read More](#)





INSULATED LINESMAN'S COVER

SKU: LVLC

Our Insulated Linesman's Cover is utilised by Utilities and Electrical Contractors. They provide a temporary electrical insulation barrier during maintenance of power lines. Conductors, cabling, catenary wires, fuses, cross-arms, pins and links.

[Read More](#)



ABC SERVICE LINE TENSIONER

SKU: ST12

[Read More](#)





NON-CONTACT PHASE ROTATION METER CAT IV

SKU: PR3NC

Our Non-Contact Phase Rotation Meter has been designed to the highest Safety Rating CAT IV 600V. Our Phase Rotation Meters are designed for Use with Utility workers, ASP Service providers and also electrical contractors.

[Read More](#)



FUSED TEST LAMPS WITH MAGNETIC HOLDER

SKU: MTL2W

Addition features built into the MTL2W series fused test lamps create a very versatile and safe tester. A convenient magnetic holder has also been developed to hang the tester for hands free operation where suitable. Two bright 25W bulbs are fitted with innovative safety guards built into the mould, protecting the user from coming into contact with the lamps. Furthermore decreasing the chance of accidental breakage. 2 x fused 1 metre test leads provide a working span of 2 metres. Our Series Test Lamps are CATIV 500V safety rated and is supplied with 2 x chisel probes, magnetic holder and also a carry bag. Optional changeable probe tips and crocodile clips are available separately.

[Read More](#)





ROLL UP BAG FOR INSULATED MATS

SKU: MATBAG

The Convenient EFO Roll up Carry Bag for Insulated Mats. Not only does it protect the Insulated Switchboard Matting but also can be used as a ground sheet. Insulated Mats can quickly be rolled into the bag as well as reducing the storage space required. Furthermore the bag come with a strong carry strap.

[Read More](#)



ERGO HARNESS WITH WAIST BELT

SKU: 1300ERGO-0

The ERGO Full body fall arrest harness with front fall arrest D and rear fall arrest D with waist belt is perfect low cost harness for roof, ladder systems, EWP maintenance and construction, ladder, tower and pole work.

[Read More](#)





CONTACT PHASE ROTATION METER CAT IV

SKU: PR3

[Read More](#)



INSULATED CABLE TEST POINT FOR ABC

SKU: PP1514

The EFO Insulated Cable test point is suitable for ABC cable ranges up to 150mm². Connects to standard 4mm banana plug.

[Read More](#)





CABLE CORE SEPARATION TOOL

SKU: CIE100

Our Cable core separation tool suitable for LVABC up to and including 4 x 95mm². They can also be used on any multi-core cable.

[Read More](#)



EFO INSULATED GLOVE KIT AVAILABLE IN ALL VOLTAGES

SKU: GLOVEKIT

EFO Insulated Glove Kit provides effective individual protection for anyone required to work on live voltages and perform operations on or in proximity to electric installations. Available from Class 00 to Class 4.

[Read More](#)





EFO CANVAS GLOVE BAG WITH HANGING CLIP

SKU: GLOVEBAG

The EFO Canvas Glove bag is made from high quality Canvas. Designed for storage of insulated Gloves. Furthermore is features a hang clip on the back.

[Read More](#)



ELECTRICAL INSULATED MAT AS/NZS 2978

SKU: MAT2978

The AS/NZS 2978 standard has been superseded by AS/NZS IEC6111:2020. Please refer to our part numbers [MATLV](#) or MATHV for all insulated matting products. Tagged to 1000V our low voltage insulated matting can be supplied in a lightweight 3mm thick mat ([MATLV](#)) or a heavier 5mm thick mat (MATHV) depending on your application. EFO switchboard matting is manufactured using high quality elastomer rubber to provide complete protection against electrical shock due to earth faults.

[Read More](#)





IPC RATCHET SPANNER 13/17MM

SKU: RPS13/17-6H

RPS13/17-6H Long Blue Handle IPC Ratchet Spanner 13/17mm
Reversible 6 Point Hex Suits Insulation Piercing Connectors.

[Read More](#)



COTTON KNITTED GLOVE LINERS

SKU: KCGL

[Read More](#)



LANYARD ADJUSTABLE SHOCK ABSORBER 0.9-2M

SKU: LANYARD

The PIP Adjustable Lanyard with shock absorber are used in various fall arrest situations and is designed protect a worker up to 150Kg. The Webbing is UV rated to meet AS/NZS 1891.5:2020 standards.

[Read More](#)



LINESMAN'S POLE STRAP 2.5M

SKU: POLESTRAP

The Height Safety electrical workers Linesman's Pole Strap 2.4m from EFO is fully adjustable Allowing for various work positioning applications.

[Read More](#)





LEATHER OVER GLOVES

SKU: ILPG3S

EFO supplies only high quality leather over gloves that are designed to fit correctly and conformability over our [rubber insulating gloves](#). Leather Over Gloves are used to provide mechanical protection from abrasion, cut, tear and also perforation. Over gloves should always be worn over Insulated Rubber Gloves to provide the needed mechanical protection. Furthermore our leather protectors meet ASTM F696 standards and are available in sizes 8-12.

[Read More](#)



LV SWITCHBOARD RESCUE KIT

SKU: LVSEBRKIT

The LV Switchboard Rescue Kit is designed to be used by a safety observer for the safe rescue of victims of electrical shock and other injuries when working on Low Voltage switchboards and substations. The kit is designed to comply with Australian Standard AS4836 requirements Safe Working On Low Voltage Electrical Installations.

[Read More](#)



1000V HEXAGON KEY T-WRENCH 6MM

SKU: 40706

The high quality Tolsen 1000V Hexagon Key T-Wrench from EFO. Manufactured and tested to VDE specifications. Required By ASP Providers.

[Read More](#)



1000V HEXAGON KEY T-WRENCH 5MM

SKU: 40705

The high quality Tolsen 1000V Hexagon Key T-Wrench from EFO. Manufactured and tested to VDE specifications. Required By ASP Providers.

[Read More](#)

